

Testing theory
an introduction

Testing theory

an introduction

prof.dr.ir. P.J.G. Teunissen



Delft University of Technology
Faculty of Civil Engineering and Geosciences
Department of Mathematical Geodesy and Positioning

Delft University Press

CIP-gegevens Koninklijke Bibliotheek, Den Haag

Teunissen, P.J.G.

Testing theory; an introduction

1e dr.: 2000. Met lit. opg., reg

ISBN : 90-407-1975-6 <http://www.vssd.nl/hlf/a030.htm>

NUGI 816, 841

Trefw.: testing, geodesy

© VSSD
Eerste druk 2000

Uitgegeven door:
Delft University Press
Postbus 98, 2600 MG Delft
tel. 015 278 3254, telefax 015 278 1661, e-mail: dup@dup.tudelft.nl
website: www.library.tudelft.nl/dup

In opdracht van:
Vereniging voor Studie- en Studentenbelangen te Delft
Poortlandplein 6, 2628 BM Delft
tel. 015 278 2124, telefax 015 278 7585, e-mail: vssd@tudelft.nl
internet: www.oli.tudelft.nl/vssd/hlf/handleidingen.html

Alle rechten voorbehouden. Niets uit deze uitgave mag worden verveelvoudigd, opgeslagen in een geautomatiseerd gegevensbestand, of openbaar gemaakt, in enige vorm of op enige wijze, hetzij elektronisch, mechanisch, door fotokopieën, opnamen, of op enige andere manier, zonder voorafgaande schriftelijke toestemming van de uitgever.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photo-copying, recording, or otherwise, without the prior written permission of the publisher.

ISBN 90-407-1975-6

Foreword

This book is based on the lecture notes of the course 'Testing theory' (Inleiding Toetsingstheorie) as it has been offered since 1989 by the Department of Mathematical Geodesy and Positioning (MGP) of the Delft University of Technology. This course is a standard requirement and is given in the second year. The prerequisites are a solid knowledge of adjustment theory together with linear algebra, statistics and calculus at the undergraduate level. The theory and application of least-squares adjustments are treated in the lecture notes *Adjustment theory* (Delft University Press, 2000). The material of the present course is a follow up on this course on adjustment theory. Its main goal is to convey the knowledge necessary to be able to judge and validate the outcome of an adjustment. As in other physical sciences, measurements and models are used in Geodesy to describe (parts of) physical reality. It may happen however, that some of the measurements or some parts of the model are biased or in error. The measurements, for instance, may be corrupted by blunders, or the chosen model may fail to give an adequate enough description of physical reality. These mistakes can and will occasionally happen, despite the fact that every geodesist will try his or her best to avoid making such mistakes. It is therefore of importance to have ways of detecting and identifying such mistakes. It is the material of the present lecture notes that provides the necessary statistical theory and testing procedures for resolving situations like these.

Following the *Introduction*, the basic concepts of statistical testing are presented in *Chapter 1*. In *Chapter 2* the necessary theory is developed for testing *simple* hypotheses. As opposed to its *composite* counterpart, a simple hypothesis is one which is completely specified, both in its functional form as well as in the values of its parameters. Although simple hypotheses rarely occur in geodetic practice, the material of this chapter serves as an introduction to the chapters following. In *Chapter 3*, the generalized likelihood ratio principle is used to develop the theory for testing composite hypotheses. This theory is then worked out in detail in *Chapter 4*, for the important case of linear(ized) models. Both the parametric form (observation equations) and the implicit form (condition equations) of linear models are treated. Five different expressions are given for the uniformly, most powerful, invariant teststatistic. As an additional aid in understanding the basic principles involved, a geometric interpretation is given throughout. This chapter also introduces the important concept of reliability. The internal and external reliability measures given, enable a user to determine in advance (i.e. at the designing stage, before the actual measurements are collected) the size of the minimal detectable biases and the size of their potential impact on the estimated parameters of interest.

Many colleagues of the Department of Mathematical Geodesy and Positioning whose assistance made the completion of this book possible are greatly acknowledged. C.C.J.M. Tiberius took care of the editing, while the typing was done by Mrs. J. van der Bijl and Mrs. M.P.M. Scholtes. The drawings were made by Mr. A.B Smits and the statistical tables were generated by Mrs. M. Roselaar. Various lecturers have taught the book's material over the past years. In particular the feedback and valuable recommendations of G.J. Husti, F. Kenselaar and N.F. Jonkman are acknowledged.

P.J.G. Teunissen
June, 2000

Contents

Introduction	1
1 Basic concepts of hypothesis testing	5
1.1 Statistical hypotheses	5
1.2 Test of statistical hypotheses	8
1.3 Two types of errors	10
1.4 A testing principle	16
1.5 General steps in testing hypotheses	19
2 Testing of simple hypotheses	21
2.1 The simple likelihood ratio test	21
2.2 Most powerful tests	29
2.3 The \underline{w} -teststatistic	35
2.4 The \underline{v} -teststatistic	48
3 Testing of composite hypotheses	53
3.1 The generalized likelihood ratio test	53
3.2 Uniformly most powerful tests	62
4 Hypothesis testing in linear models	71
4.1 The models of condition and observation equations	71
4.2 A geometric interpretation of \underline{T}_q	79
4.3 The case $q = 1$: the \underline{w} -teststatistic	86
4.4 The case $q = m-n$: the $\underline{\hat{\sigma}}^2$ -teststatistic	90
4.5 Internal reliability	94
4.6 External reliability	110
4.7 Reliability: an example	118
Appendices	124
A Some standard distributions	124
B Statistical tables	126
C Detection, identification and adaptation	132
D Early history of adjusting geodetic and astronomical observations	137
Literature	145
Index	147

Introduction

The present lecture notes are a follow up on the book *Adjustment theory* (Delft University Press, 2000). Adjustment theory deals with the optimal combination of redundant measurements together with the estimation of unknown parameters. There are two main reasons for performing redundant measurements. First, the wish to increase the accuracy of the results computed. Second, the requirement to be able to check for mistakes or errors. The present book addresses this second topic.

In order to be able to adjust redundant observations, one first needs to choose a mathematical model. This model consists of two parts, the functional model and the stochastic model. The functional model contains the set of functional relations the observables are assumed to obey. For instance, when the three angles of a triangle are observed and when it is assumed that the laws of planar Euclidean geometry apply, the three angles should add up to π . However, since measurements are intrinsically uncertain (perfect measurements do not exist), one should also take the unavoidable variability of the measurements into account. This is done by means of a stochastic model in which the measurement uncertainty is captured through the use of stochastic (or random) variables. In most geodetic applications it is assumed that the results of measurement, the observations, are independent samples drawn from a normal (or Gaussian) distribution.

Once the mathematical model is specified, one can proceed with the adjustment. Although different methods of adjustment exist, one of the leading principles is the principle of least-squares (for a brief account on the early history of adjustment, see Appendix D). Apart from the fact that (linear) least-squares estimators are relatively easy to compute, they also possess two important properties, namely the property of unbiasedness and the property of minimum variance. In layman terms one could say that least-squares solutions coincide with their target value on the average (property of unbiasedness), while the sum of squares of their unavoidable, individual variations about this target value will be the smallest possible on the average (property of minimum variance). These two properties only hold true, however, under the assumption that the mathematical model is correct. They fail to hold in case the mathematical model is misspecified. Errors or misspecifications in the functional model generally result in least-squares estimators that are biased (off target). Similarly, misspecifications in the stochastic model will generally result in least-squares estimators that are less precise (larger variations).

Although one always will try one's best to avoid making mistakes, they can and will occasionally happen. It is therefore of importance to have ways of *detecting* and *identifying* such mistakes. In this book we will restrict ourselves and concentrate only on developing methods for detecting and identifying errors in the functional model. Hence, throughout this book the stochastic model is assumed to be specified correctly. This restriction is a legitimate one for many geodetic applications. From past experience we know that if modelling errors occur, they usually occur in the functional model and not so much in the stochastic model. Putting the exceptions aside, one is usually quite capable of making a justifiable choice for the stochastic model. Moreover, mistakes made in the functional model usually have more serious consequences for the results computed than errors made in the stochastic modelling.

2 Testing theory

Mistakes or errors in the functional model can come in many different guises. At this point it is of importance to realize, since every model is a caricature of reality, that every model has its shortcomings. Hence, strictly speaking, every model is already in error to begin with. This shows that the notion of a modelling error or a model misspecification has to be considered with some care. In order to understand this notion, it helps if one accepts that the presence of modelling errors can only be felt in the confrontation between data and model. We therefore speak of a modelling error when the discrepancies between the observations and the model are such that they can not be explained by, or attributed to, the unavoidable measurement uncertainty. Such discrepancies can have many different causes. They could be caused by mistakes made by the observer, or by the fact that defective instruments are used, or by wrong assumptions about the functional relations between the observables. For instance, in case of levelling, it could happen that the observer made a mistake when reading off the leveling rod, or in case of direction measurements, it could happen that the observer accidentally aimed the theodolite at the wrong point. These types of mistakes affect individual observations and are usually referred to as blunders or gross errors. Instead of a few individual observations, whole sets of observations may become affected by errors as well. This happens in case defective instruments are used, or when mistakes are made in formulating the functional relations between the observables. Errors with a common cause that affect whole sets of observations are sometimes referred to as systematic errors.

The goal of this book is to convey the necessary knowledge for judging the validity of the model used. Typical questions that will be addressed are: 'How to check the validity of a model? How to search for certain mistakes or errors? How well can errors be traced? How do undetected errors affect the final results?' As to the detection and identification of errors, the general steps involved are as follows:

- (i) One starts with a model which is believed to give an adequate enough description of reality. It is usually the simplest model possible which on the basis of past experience has proven itself in similar situations. Since one will ordinarily assume that the measurements and the modelling are done with the utmost care, one is generally not willing, at this stage, to already make allowances for possible mistakes or errors. This is of course an assumption or an hypothesis. This first model is therefore referred to as the *null hypothesis*.
- (ii) Since one can never be sure about the absence of mistakes or errors, it is always wise to check the validity of the null hypothesis once it has been selected. Hence, one would like to be able to *detect* an untrustworthy null hypothesis. This is possible in principle, when redundant measurements are available. From the adjustment of the redundant measurements, (least-squares) residuals can be computed. These residuals are a measure of how well the measurements fit the model of the null hypothesis. Large residuals are often indicative for a poor fit, while smaller residuals tend to correspond with a better fit. These residuals are therefore used as input for deciding whether or not one is willing to accept the null hypothesis.
- (iii) Would one decide to reject the null hypothesis, one implicitly states that the measurements do not seem to support the assumption that the model under the null hypothesis gives an adequate enough description of reality. One will therefore have to look for an alternative model or an *alternative hypothesis*. It very seldom happens

however, that one knows beforehand which alternative to consider. After all, many different errors could have led to the rejection of the null hypothesis. This implies that in practice, instead of considering a single alternative, usually various alternatives will have to be considered. And since different types of errors may occur in different situations, the choice of these alternatives very much depends on the particular situation at hand.

- (iv) Once it has been decided which alternatives to consider, one can commence with the process of *identifying* the most likely alternative. This in fact boils down to a search of the alternative hypothesis which best fits the measurements. Since each alternative hypothesis describes a particular mistake or modelling error, the most likely mistake corresponds with the most likely hypothesis. Once one is confident that the modelling errors have been identified, the last step consists of an *adaptation* of the data and/or model. This implies either a re-measurement of the erroneous data or the inclusion of additional parameters in the model such that the modelling errors are accounted for.

It will be intuitively clear that not all errors can be traced equally well. Some errors are better traceable than others. Apart from being able of executing the above steps for the detection and identification of modelling errors, one would therefore also like to know how well these errors can be traced. This depends on the following factors. It depends on the model used (the null hypothesis), on the type and size of the error (the alternative hypothesis), and on the decision procedure used for accepting or rejecting the null hypothesis. Since these decisions are based on uncertain measurements, their outcomes will be to some degree uncertain as well. As a consequence, two kinds of wrong decisions can be made. One can decide to reject the null hypothesis, while in fact it is true (wrong decision of the 1st kind), or one can decide to accept the null hypothesis, although it is false (wrong decision of the 2nd kind). In the first case, one wrongly believes that a mistake or modelling error has been made. This might then lead to an unnecessary re-measurement of the data. In the second case, one wrongly believes that mistakes or modelling errors are absent. As a consequence, one would then obtain biased adjustment results. These issues and how to cope with them, will also be discussed in this book. Once mastered, they will enable one to formulate guidelines for the *reliable* design of measurement set-ups.